




The series is made from 100 % reveral with aluminum profiles. The particularity of these windows is the double thermal bridge that allows to have a high insulation compared to other frames in aluminum. Reveral fixtures are ideal far all structures, as the villas on the sea, particularly exposed to wear of the weather, but also far windows facing the shower, saunas pools etc. Far structures where high security is a prerequisite, the line reveral allows to obtain frames armored, with bulletproof glass and steel profiles that make it unassailable.


## **Design Line**

The window REVER-AL design offers modern design and excellent comfort combined with high-quality technology:

- More light through large-scale glazings
- · Narrow sliding frames and frameless side elements
- · Easy operation of sash up to 120 kg sash weight
- · Energy efficient and heating cost saving
- · No tripping hazard due to low threshold height
- · Attractive colours for individual design requests
- · Better stability due to glass fibre low threshold
- Thoughened panes protect from injuries when glass breakages
- · Can be perfectly combined with all other REVER-AL and REVER-ONE window and sliding systems by G&G








Design 2









Window-Balcony 1 door with flap door




Window-Balcony 2 doors with flap door



Window-Balcony 3 doors with flap door




Window-Balcony 4 doors with flap door




Wasistas




Fix




Bascule window



Sliding 1 door




Sliding 2 doors







### **EXTERNAL**




LATERAL NODE TLMC + A2M2 Double chamber glazing 33.1-15Arg-4-15Arg-33.1 low emissive with argon gas



LATERAL NODE TZMC+A2M2
Double chamber glazing
33.1-15Arg-4-15Arg-33.1
low emissive with argon gas



LATERAL NODE TLMC2+A2M2 Double chamber glazing 33.1-15Arg-4-15Arg-33.1 low emissive with argon gas




CENTRAL NODE
Double chamber glazing
33.1-15Arg-4-15Arg-33.1
low emissive with argon gas


#### **INTERNAL**




### **EXTERNAL**




LATERAL NODE TLMC + A2C Double chamber glazing 33.1-15Arg-4-15Arg-33.1 low emissive with argon gas



LATERAL NODE TZMC+A2C Double chamber glazing 33.1-15Arg-4-15Arg-33.1 low emissive with argon gas



LATERAL NODE TLMC2+AC2
Double chamber glazing
33.1-15Arg-4-15Arg-33.1
low emissive with argon gas




CENTRAL NODE
Double chamber glazing
33.1-15Arg-4-15Arg-33.1
low emissive with argon gas


#### **INTERNAL**




#### **EXTERNAL**




LATERAL NODE TLC+A2C Double chamber glazing 33.1-15Arg-4-15Arg-33.1 low emissive with argon gas



LATERAL NODE TZC+A2C Double chamber glazing 33.1-15Arg-4-15Arg-33.1 low emissive with argon gas



LATERAL NODE TLC+A2MC Double chamber glazing 33.1-15Arg-4-15Arg-33.1 low emissive with argon gas



LATERAL NODE TZC+A2MC Double chamber glazing 33.1-15Arg-4-15Arg-33.1 low emissive with argon gas

### **INTERNAL**



# **PRODUCTION SITE**

S.P. 92, Trepuzzi - Surbo 73019 - Trepuzzi (Le) Italy

+39 0832 79 42 26 info@g-and-g.it

# **SHOWROOM**

S.S. 7 Ter - Via Lecce 73012 - Campi Salentina (Le) Italy

+39 379 17 26 546 info@infissistore.it

www.g-and-g.it